



Jenkins

[ENABLE AUTO REFRESH](#)

-  [New Item](#)
-  [People](#)
-  [Build History](#)
-  [Project Relationship](#)
-  [Check File Fingerprint](#)
-  [Manage Jenkins](#)
-  [Open Blue Ocean](#)
-  [Credentials](#)
-  [New View](#)

**Build Queue (8)** -

<a href="#">EW.DispatchingATP</a>	
<a href="#">EW.DispatchingATP</a>	
<a href="#">EW.MasterPlanning</a>	
<a href="#">EW.DispatchingATP</a>	
<a href="#">EW.MasterPlanning</a>	
<a href="#">EW.DispatchingATP</a>	
<a href="#">EW.MasterPlanning</a>	
<a href="#">EW.SolutionUI</a>	

**Build Executor Status** -

1	Idle	
2	Idle	
3	Idle	
4	Idle	
5	Idle	
6	Idle	
7		
	<a href="#">EW.SchedulingATP</a>	<a href="#">#6</a> (Declarative: Post Actions) 
8	<a href="#">EW.SnOP</a>	<a href="#">#7</a> (Test) 
9	Idle	
10	Idle	

11	<a href="#">EW.SolutionUI</a>	<a href="#">#15</a>	(Build and	
Jenkins <span style="float: right;"><a href="#">ENABLE AUTO REFRESH</a></span>				
12	Idle			
13	<a href="#">EW.Scheduling</a>	<a href="#">#6</a>	(Test)	
14	Idle			
15	Idle			
16	Idle			
17	Idle			
18	Idle			
19	Idle			
20	Idle			
	<a href="#">EW.DispatchingATP</a>	<a href="#">#2</a>		
	<a href="#">EW.MasterPlanning</a>	<a href="#">#3</a>		

## Thread Dump

### Computer.threadPoolForRemoting [#151]

```
"Computer.threadPoolForRemoting [#151]" Id=10616 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@184f3d3
    at sun.misc.Unsafe.park(Native Method)
    -   waiting on java.util.concurrent.SynchronousQueue$TransferStack@184f3d3
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
    at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown Source)
    at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)
```

### Computer.threadPoolForRemoting [#152]

```
"Computer.threadPoolForRemoting [#152]" Id=10627 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@184f3d3
    at sun.misc.Unsafe.park(Native Method)
    -   waiting on java.util.concurrent.SynchronousQueue$TransferStack@184f3d3
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
    at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown Source)
    at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

at java.lang.Thread.run(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

"DestroyJavaVM" Id=18 Group=main RUNNABLE

## FilePath.localPool [#60]

"FilePath.localPool [#60]" Id=10635 Group=main RUNNABLE  
 at sun.management.ThreadImpl.dumpThreads0(Native Method)  
 at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)  
 at hudson.Functions.getThreadInfos(Functions.java:1243)  
 at hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:98)  
 at hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:95)  
 at hudson.remoting.LocalChannel\$1.call(LocalChannel.java:52)  
 at  
 jenkins.util.ContextResettingExecutorService\$2.call(ContextResettingExecutorService.java:46)  
 at java.util.concurrent.FutureTask.run(Unknown Source)  
 at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)  
 at java.util.concurrent.ThreadPoolExecutor\$Worker.run(Unknown Source)  
 at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@10c0242

## Handling GET /blue/organizations/jenkins/EW.MasterPlanning/detail/EW.MasterPlanning/3/ from 10.187.153.206 : RequestHandlerThread[#299] BlueOceanUI/index.jelly PageStatePreloadDecorator/header.jelly

"Handling GET /blue/organizations/jenkins/EW.MasterPlanning/detail/EW.MasterPlanning/3/ from  
 10.187.153.206 : RequestHandlerThread[#299] BlueOceanUI/index.jelly  
 PageStatePreloadDecorator/header.jelly" Id=10268 Group=main BLOCKED on  
 org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by "Running  
 CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423  
 at  
 org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)  
 - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02  
 at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>  
 (PipelineNodeGraphVisitor.java:102)  
 at  
 io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder\$NodeGraphBuilderFactory.getInstance(NodeGr  
 aphBuilder.java:39)  
 at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>  
 (PipelineNodeContainerImpl.java:32)  
 at  
 io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)  
 at  
 io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)  
 at  
 io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar  
 y.java:42)

```
at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
Jenkins ENABLE AUTO REFRESH


---


at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:219)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:183)
  at io.jenkins.blueocean.commons.stapler.Export.toJson(Export.java:61)
  at io.jenkins.blueocean.commons.stapler.Export.toJson(Export.java:47)
at
io.jenkins.blueocean.preload.PipelineStatePreloader.getFetchData(PipelineStatePreloader.java:68)
  at io.jenkins.blueocean.commons.RESTFetchPreloader.getStateJson(RESTFetchPreloader.java:64)
  at sun.reflect.GeneratedMethodAccessor863.invoke(Unknown Source)
  at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
  at java.lang.reflect.Method.invoke(Unknown Source)
  at org.apache.commons.jexl.util.PropertyExecutor.execute(PropertyExecutor.java:125)
at
org.apache.commons.jexl.util.introspection.UberspectImpl$VelGetterImpl.invoke(UberspectImpl.java:314)
  at org.apache.commons.jexl.parser.ASTArrayAccess.evaluateExpr(ASTArrayAccess.java:185)
  at org.apache.commons.jexl.parser.ASTIdentifier.execute(ASTIdentifier.java:75)
  at org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)
  at org.apache.commons.jexl.parser.ASTReference.value(ASTReference.java:57)
at
org.apache.commons.jexl.parser.ASTReferenceExpression.value(ASTReferenceExpression.java:51)
  at org.apache.commons.jexl.ExpressionImpl.evaluate(ExpressionImpl.java:80)
  at hudson.ExpressionFactory2$JexlExpression.evaluate(ExpressionFactory2.java:74)
  at org.apache.commons.jelly.tags.core.CoreTagLibrary$3.run(CoreTagLibrary.java:134)
  at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
  at org.apache.commons.jelly.TagSupport.invokeBody(TagSupport.java:161)
  at org.apache.commons.jelly.tags.core.ForEachTag.doTag(ForEachTag.java:150)
  at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
  at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
  at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
  at org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
  at org.kohsuke.stapler.jelly.JellyViewScript.run(JellyViewScript.java:95)
```



```
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

Jenkins

[ENABLE AUTO REFRESH](#)

## Handling GET /blue/organizations/jenkins/EW.MasterPlanning/detail/EW.MasterPlanning/3/ from 10.187.153.206 : RequestHandlerThread[#309] BlueOceanUI/index.jelly PageStatePreloadDecorator/header.jelly

```
"Handling GET /blue/organizations/jenkins/EW.MasterPlanning/detail/EW.MasterPlanning/3/ from
10.187.153.206 : RequestHandlerThread[#309] BlueOceanUI/index.jelly
PageStatePreloadDecorator/header.jelly" Id=10558 Group=main BLOCKED on
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by "Running
CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
  - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
  at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
  at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
  at java.lang.invoke.LambdaForm$BMH/28632590.reinvoke(LambdaForm$BMH)
  at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
  at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
  at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
  at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
```

```
at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:219)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at io.jenkins.blueocean.commons.stapler.export.Export.toJson(Export.java:107)
at io.jenkins.blueocean.commons.stapler.Export.toJson(Export.java:47)
at
io.jenkins.blueocean.preload.PipelineStatePreloader.getFetchData(PipelineStatePreloader.java:68)
at io.jenkins.blueocean.commons.RESTFetchPreloader.getStateJson(RESTFetchPreloader.java:64)
at sun.reflect.GeneratedMethodAccessor863.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.apache.commons.jexl.util.PropertyExecutor.execute(PropertyExecutor.java:125)
at
org.apache.commons.jexl.util.introspection.UberspectImpl$VelGetterImpl.invoke(UberspectImpl.java:314)
at org.apache.commons.jexl.parser.ASTArrayAccess.evaluateExpr(ASTArrayAccess.java:185)
at org.apache.commons.jexl.parser.ASTIdentifier.execute(ASTIdentifier.java:75)
at org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)
at org.apache.commons.jexl.parser.ASTReference.value(ASTReference.java:57)
at
org.apache.commons.jexl.parser.ASTReferenceExpression.value(ASTReferenceExpression.java:51)
at org.apache.commons.jexl.ExpressionImpl.evaluate(ExpressionImpl.java:80)
at hudson.ExpressionFactory2$JexlExpression.evaluate(ExpressionFactory2.java:74)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$3.run(CoreTagLibrary.java:134)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.apache.commons.jelly.TagSupport.invokeBody(TagSupport.java:161)
at org.apache.commons.jelly.tags.core.ForEachTag.doTag(ForEachTag.java:150)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
at org.kohsuke.stapler.jelly.JellyViewScript.run(JellyViewScript.java:95)
at org.kohsuke.stapler.jelly.IncludeTag.doTag(IncludeTag.java:147)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
at org.apache.commons.jelly.TagSupport.invokeBody(TagSupport.java:161)
at org.apache.commons.jelly.tags.core.ForEachTag.doTag(ForEachTag.java:150)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
at org.kohsuke.stapler.jelly.JellyViewScript.run(JellyViewScript.java:95)
at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker.java:63)
at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker.java:53)
at org.kohsuke.stapler.jelly.JellyClassTearOff.serveIndexJelly(JellyClassTearOff.java:112)
at org.kohsuke.stapler.jelly.JellyFacet.handleIndexRequest(JellyFacet.java:140)
at org.kohsuke.stapler.IndexViewDispatcher.dispatch(IndexViewDispatcher.java:30)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
```

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
```

```
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@8abff2

## Handling GET /blue/rest/organizations/jenkins/pipelines/EW.DispatchingATP/runs/2/ from 10.187.153.206 : RequestHandlerThread[#3]

```
"Handling GET /blue/rest/organizations/jenkins/pipelines/EW.DispatchingATP/runs/2/ from
10.187.153.206 : RequestHandlerThread[#3]" Id=13 Group=main BLOCKED on
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running
CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
```

(PipelineNodeContainerImpl.java:32)

at

Jenkins

[ENABLE AUTO REFRESH](#)

io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)

at

io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)

at java.lang.invoke.LambdaForm\$DMH/31611766.invokeVirtual\_L\_L(LambdaForm\$DMH)

at java.lang.invoke.LambdaForm\$BMH/21325947.reinvoke(LambdaForm\$BMH)

at java.lang.invoke.LambdaForm\$MH/17167989.invoke\_MT(LambdaForm\$MH)

at

io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)

at

io.jenkins.blueocean.commons.stapler.export.ExportInterceptor\$1.getValue(ExportInterceptor.java:46)

at

io.jenkins.blueocean.commons.stapler.Export\$BlueOceanExportInterceptor.getValue(Export.java:167)

at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)

at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)

at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)

at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)

at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)

at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)

at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:139)

at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)

at

io.jenkins.blueocean.commons.stapler.TreeResponse\$Processor\$1.generateResponse(TreeResponse.java:48)

)

at

org.kohsuke.stapler.HttpResponseRenderer\$Default.handleHttpResponse(HttpResponseRenderer.java:124)

at

org.kohsuke.stapler.HttpResponseRenderer\$Default.generateResponse(HttpResponseRenderer.java:69)

at org.kohsuke.stapler.Function.renderResponse(Function.java:136)

at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)

at org.kohsuke.stapler.IndexDispatcher.dispatch(IndexDispatcher.java:26)

at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)

at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

at org.kohsuke.stapler.MetaClass\$10.dispatch(MetaClass.java:374)

at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)

at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

at org.kohsuke.stapler.MetaClass\$3.doDispatch(MetaClass.java:209)

at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)

at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)

at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

at org.kohsuke.stapler.MetaClass\$10.dispatch(MetaClass.java:374)

at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)

at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

at org.kohsuke.stapler.MetaClass\$3.doDispatch(MetaClass.java:209)

at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)

at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)

at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

at org.kohsuke.stapler.MetaClass\$10.dispatch(MetaClass.java:374)

at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)

at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

at org.kohsuke.stapler.MetaClass\$10.dispatch(MetaClass.java:374)

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
```

```

at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)

```

Jenkins

[ENABLE AUTO REFRESH](#)

```

at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1857fe2

## Handling GET /blue/rest/search/ from 10.187.153.113 : RequestHandlerThread[#277]

```

"Handling GET /blue/rest/search/ from 10.187.153.113 : RequestHandlerThread[#277]" Id=9179
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running
CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/21325947.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
at

```

```
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
    at
```

```
Jenkins
```

[ENABLE AUTO REFRESH](#)

```
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
    at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
    at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
    at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
    at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
    at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
    at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
    at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
    at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
    at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
    at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
    at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
    at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
    at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
    at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
    at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
    at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
    at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
    at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
    at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61
```

)

at hudson.util.PluginServletFilter\$1.doFilter(PluginServletFilter.java:151)

Jenkins

[ENABLE AUTO REFRESH](#)

```
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
```

```
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@19788d9

Jenkins

[ENABLE AUTO REFRESH](#)

## RequestHandlerThread[#282]

```
"Handling GET /blue/rest/search/ from 10.187.153.113 : RequestHandlerThread[#282]" Id=9339
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running
CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
    at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
    - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
    at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
    at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
    at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
    at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
    at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
    at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
    at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
    at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
    at java.lang.invoke.LambdaForm$BMH/21325947.reinvoke(LambdaForm$BMH)
    at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
    at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
    at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
    at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
    at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
    at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
    at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
    at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70
```

)

at

Jenkins

[ENABLE AUTO REFRESH](#)

```
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
  at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
  at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
  at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
  at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
  at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
  at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
  at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
  at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
  at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
  at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
  at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
  at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
```

```
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@45bedb

## Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#112]

```
"Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#112]" Id=4151
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running
CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
```

```
at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
Jenkins ENABLE AUTO REFRESH
```

---

```
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
  at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
  at java.lang.invoke.LambdaForm$BMH/21325947.reinvoke(LambdaForm$BMH)
  at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
  at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
  at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
  at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
  at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
  at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
  at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
  at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70
)
  at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
  at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
  at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
  at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
  at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
  at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
  at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
  at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
  at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
```

```
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
```

```
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@85c235

## Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#126]

```
"Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#126]" Id=4229
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running
CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
  - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
  at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
  at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
  at java.lang.invoke.LambdaForm$BMH/21325947.reinvoke(LambdaForm$BMH)
  at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
  at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
  at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
  at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
```

```
at io.jenkins.blueocean.common.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.common.stapler.export.Model.writeNestedObjectTo(Model.java:224)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at io.jenkins.blueocean.common.stapler.export.ExportService.exportObjectTo(ExportService.java:103)
at io.jenkins.blueocean.common.stapler.Export.serveExposedBean(Export.java:136)
at io.jenkins.blueocean.common.stapler.Export.doJson(Export.java:79)
at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
```

```
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@28d4ec

## Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#145]

```
"Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#145]" Id=4340
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running
CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
at
```

```
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGraphBuilder.java:39)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummary.java:42)
at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
  at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
  at java.lang.invoke.LambdaForm$BMH/21325947.reinvoke(LambdaForm$BMH)
  at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
  at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
  at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
  at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
  at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
  at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
  at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
  at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
  at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
  at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
```

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
```

```

    at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
Jenkins                                                                    ENABLE AUTO REFRESH
    at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
    at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
    at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
    at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1d03e60

## Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#77]

"Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#77]" Id=978 Group=main  
 BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running  
 CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312

```

    at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
    - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
    at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
    at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
    at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
    at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
    at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
    at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
    at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
    at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
    at java.lang.invoke.LambdaForm$BMH/21325947.reinvoke(LambdaForm$BMH)
    at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
    at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
    at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
    at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)

```

```
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
```

```
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@67d6be
```

## Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#94]

"Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#94]" Id=4073 Group=main  
BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running

Jenkins

[ENABLE AUTO REFRESH](#)

```
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
  - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
    at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
  at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
  at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
  at java.lang.invoke.LambdaForm$BMH/21325947.reinvoke(LambdaForm$BMH)
  at java.lang.invoke.LambdaForm$MH/17167989.invoke_MT(LambdaForm$MH)
  at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
  at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
  at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
  at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
  at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
  at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
  at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70
)
  at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
  at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
  at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
```

```
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
```

```
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@196856

## Handling GET /job/EW.DispatchingATP/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#273]

```
"Handling GET /job/EW.DispatchingATP/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#273]"
Id=8622 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by
"Running CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/14897046.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
```

```
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
```

```
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.handler.ScopedHandler.doScope(ScopedHandler.java:44)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@e6c1f6

## Handling GET /job/EW.DispatchingATP/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#281]

```
"Handling GET /job/EW.DispatchingATP/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#281]"
Id=9338 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by
"Running CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/14897046.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
```

```
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
```

```
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.handler.ScopedHandler.doScope(ScopedHandler.java:44)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@152aaf4

## Handling GET /job/EW.DispatchingATP/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#288]

```
"Handling GET /job/EW.DispatchingATP/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#288]"
Id=9402 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by
"Running CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/14897046.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
```

```
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
```

```
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.handler.ScopedHandler.doScope(ScopedHandler.java:44)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@62cbbc

## Handling GET /job/EW.MasterPlanning/3/flowGraphTable/ from 10.187.153.206 : RequestHandlerThread[#311] FlowGraphTableAction/index.jelly

```
"Handling GET /job/EW.MasterPlanning/3/flowGraphTable/ from 10.187.153.206 :
RequestHandlerThread[#311] FlowGraphTableAction/index.jelly" Id=10560 Group=main BLOCKED on
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by "Running
CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
at
org.jenkinsci.plugins.workflow.support.visualization.table.FlowGraphTable.createAllRows(FlowGraphTable.java:71)
at
org.jenkinsci.plugins.workflow.support.visualization.table.FlowGraphTable.build(FlowGraphTable.java:56)
at
org.jenkinsci.plugins.workflow.job.views.FlowGraphTableAction.getFlowGraph(FlowGraphTableAction.java:57)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.apache.commons.jexl.util.PropertyExecutor.execute(PropertyExecutor.java:125)
at
```



```
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
```

```

at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
Jenkins
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@addee4

```

## Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#269]

```

"Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#269]"
Id=8610 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by
"Running CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/14897046.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

```

```
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
```

```

at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
Jenkins
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@3a808e

```

## Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#286]

```

"Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#286]"
Id=9400 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by
"Running CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/14897046.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

```

```
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
```

```

at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
Jenkins
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@82175f

```

## Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#304]

```

"Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.113 : RequestHandlerThread[#304]"
Id=10341 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by
"Running CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/14897046.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

```

```
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
```

```

at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
Jenkins
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@1eeac66

```

## Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.206 : RequestHandlerThread[#296]

```

"Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.206 : RequestHandlerThread[#296]"
Id=9597 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by
"Running CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/14897046.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

```

```
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
```

```

at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
Jenkins ENABLE AUTO REFRESH
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@9567d4

```

## Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.206 : RequestHandlerThread[#307]

```

"Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.187.153.206 : RequestHandlerThread[#307]"
Id=10499 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by
"Running CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/14897046.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

```

```
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
```

```

at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
Jenkins
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@18a9d96

```

## Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.229.16.203 : RequestHandlerThread[#150]

```

"Handling GET /job/EW.MasterPlanning/wfapi/runs from 10.229.16.203 : RequestHandlerThread[#150]"
Id=4353 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by
"Running CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/30877956.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/18912301.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/30763926.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/21236049.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)

```

```
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
```

```

at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
Jenkins
at org.eclipse.jetty.io.AbstractConnection$ReadCallback.run(AbstractConnection.java:279)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1d4ba8

## Handling GET /threadDump from 10.187.153.206 : RequestHandlerThread[#308] Jenkins/threadDump.jelly

```

"Handling GET /threadDump from 10.187.153.206 : RequestHandlerThread[#308]
Jenkins/threadDump.jelly" Id=10557 Group=main TIMED_WAITING on
java.util.concurrent.FutureTask@1e67a32
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.FutureTask@1e67a32
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.FutureTask.awaitDone(Unknown Source)
at java.util.concurrent.FutureTask.get(Unknown Source)
at hudson.remoting.LocalChannel$2.get(LocalChannel.java:81)
at jenkins.model.Jenkins.getAllThreadDumps(Jenkins.java:3856)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at
org.apache.commons.jexl.util.introspection.UberspectImpl$VelMethodImpl.invoke(UberspectImpl.java:25
8)
at org.apache.commons.jexl.parser.ASTMethod.execute(ASTMethod.java:104)
at org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)
at org.apache.commons.jexl.parser.ASTReference.value(ASTReference.java:57)
at
org.apache.commons.jexl.parser.ASTReferenceExpression.value(ASTReferenceExpression.java:51)
at org.apache.commons.jexl.ExpressionImpl.evaluate(ExpressionImpl.java:80)
at hudson.ExpressionFactory2$JexlExpression.evaluate(ExpressionFactory2.java:74)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$3.run(CoreTagLibrary.java:134)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
at org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$1.run(CoreTagLibrary.java:98)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)

```



```
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@72224

## IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#4]

"IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#4]" Id=122 Group=main RUNNABLE (in native)

```
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
- locked sun.nio.ch.Util$2@7e623d
- locked java.util.Collections$UnmodifiableSet@1b57bdb
- locked sun.nio.ch.WindowsSelectorImpl@1355ca5
at sun.nio.ch.SelectorImpl.select(Unknown Source)
```

```
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at org.jenkinsci.remoting.protocol.IOHub.run(IOHub.java:455)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1e87cea

## Jenkins cron thread

```
"Jenkins cron thread" Id=19 Group=main WAITING on java.util.TaskQueue@16cf827
at java.lang.Object.wait(Native Method)
- waiting on java.util.TaskQueue@16cf827
at java.lang.Object.wait(Unknown Source)
at java.util.TimerThread.mainLoop(Unknown Source)
at java.util.TimerThread.run(Unknown Source)
```

## Jenkins UDP 33848 monitoring thread

```
"Jenkins UDP 33848 monitoring thread" Id=81 Group=main RUNNABLE (in native)
at java.net.TwoStacksPlainDatagramSocketImpl.receive0(Native Method)
- locked java.net.TwoStacksPlainDatagramSocketImpl@161304a
at java.net.TwoStacksPlainDatagramSocketImpl.receive(Unknown Source)
- locked java.net.TwoStacksPlainDatagramSocketImpl@161304a
at java.net.DatagramSocket.receive(Unknown Source)
- locked java.net.DatagramPacket@e378f8
- locked java.net.MulticastSocket@586d94
at hudson.UDPBroadcastThread.run(UDPBroadcastThread.java:84)
```

## jenkins.util.Timer [#10]

```
"jenkins.util.Timer [#10]" Id=46 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#1]

```
"jenkins.util.Timer [#1]" Id=20 Group=main WAITING on  
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
```

Jenkins

[ENABLE AUTO REFRESH](#)

---

```
at java.util.concurrent.locks.LockSupport.park(Unknown Source)  
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown  
Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)  
at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#2]

```
"jenkins.util.Timer [#2]" Id=32 Group=main WAITING on  
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46  
at sun.misc.Unsafe.park(Native Method)  
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46  
at java.util.concurrent.locks.LockSupport.park(Unknown Source)  
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown  
Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)  
at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#3]

```
"jenkins.util.Timer [#3]" Id=38 Group=main WAITING on  
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46  
at sun.misc.Unsafe.park(Native Method)  
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46  
at java.util.concurrent.locks.LockSupport.park(Unknown Source)  
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown  
Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)  
at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#4]

```
"jenkins.util.Timer [#4]" Id=39 Group=main WAITING on  
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46  
at sun.misc.Unsafe.park(Native Method)  
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
```

```
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#5]

```
"jenkins.util.Timer [#5]" Id=40 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#6]

```
"jenkins.util.Timer [#6]" Id=41 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#7]

```
"jenkins.util.Timer [#7]" Id=43 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
```

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#8]

```
"jenkins.util.Timer [#8]" Id=44 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## jenkins.util.Timer [#9]

```
"jenkins.util.Timer [#9]" Id=45 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@189ca46
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=231 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@435bbb
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@435bbb
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

at java.lang.Thread.run(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

```
"JmDNS(JABBA42.local.).State.Timer" Id=87 Group=main TIMED_WAITING on java.util.TaskQueue@1cf3831
  at java.lang.Object.wait(Native Method)
  - waiting on java.util.TaskQueue@1cf3831
  at java.util.TimerThread.mainLoop(Unknown Source)
  at java.util.TimerThread.run(Unknown Source)
```

## JmDNS(JABBA42.local.).Timer

```
"JmDNS(JABBA42.local.).Timer" Id=86 Group=main TIMED_WAITING on java.util.TaskQueue@fe965b
  at java.lang.Object.wait(Native Method)
  - waiting on java.util.TaskQueue@fe965b
  at java.util.TimerThread.mainLoop(Unknown Source)
  at java.util.TimerThread.run(Unknown Source)
```

## LauncherControlThread[ControlPort=-1]

```
"LauncherControlThread[ControlPort=-1]" Id=16 Group=main TIMED_WAITING
  at java.lang.Thread.sleep(Native Method)
  at winstone.Launcher.run(Launcher.java:245)
  at java.lang.Thread.run(Unknown Source)
```

## NioChannelHub keys=0 gen=0: Computer.threadPoolForRemoting [#2]

```
"NioChannelHub keys=0 gen=0: Computer.threadPoolForRemoting [#2]" Id=84 Group=main RUNNABLE (in native)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
  at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
  - locked sun.nio.ch.Util$2@2f4932
  - locked java.util.Collections$UnmodifiableSet@8267b1
  - locked sun.nio.ch.WindowsSelectorImpl@16b234b
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at org.jenkinsci.remoting.nio.NioChannelHub.run(NioChannelHub.java:585)
  at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
  at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
  at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
  at java.util.concurrent.FutureTask.run(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1e8fa89

Jenkins

[ENABLE AUTO REFRESH](#)

```
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5' -a \! -f
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-result.txt' ]; do touch
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-log.txt'; sleep 3; done } & jsc=durable-
d9171a8fc44a8ccba84c52d93cf485c4; JENKINS_SERVER_COOKIE=$jsc
'C:/jenkins/EW.Scheduling/EngineeredWorks/Scripts@tmp/durable-48e79ca5/script.sh' >
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-log.txt' 2>&1; echo $? >
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-result.txt.tmp'; mv
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-result.txt.tmp'
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-result.txt'; wait: stdout copier
```

```
"nohup sh -c { while [ -d 'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5' -
a \! -f 'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-result.txt'
]; do touch 'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-
log.txt'; sleep 3; done } & jsc=durable-d9171a8fc44a8ccba84c52d93cf485c4;
JENKINS_SERVER_COOKIE=$jsc 'C:/jenkins/EW.Scheduling/EngineeredWorks/Scripts@tmp/durable-
48e79ca5/script.sh' > 'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-
48e79ca5\jenkins-log.txt' 2>&1; echo $? >
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-result.txt.tmp'; mv
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-result.txt.tmp'
'C:\jenkins\EW.Scheduling\EngineeredWorks\Scripts@tmp\durable-48e79ca5\jenkins-result.txt'; wait:
stdout copier" Id=10299 Group=main RUNNABLE (in native)
    at java.io.FileInputStream.readBytes(Native Method)
    at java.io.FileInputStream.read(Unknown Source)
    at java.io.BufferedInputStream.read1(Unknown Source)
    at java.io.BufferedInputStream.read(Unknown Source)
    - locked java.io.BufferedInputStream@10ee3c9
    at java.io.FilterInputStream.read(Unknown Source)
    at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

```
nohup sh -c { while [ -d
'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed' -a \! -f
'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-result.txt' ]; do touch
'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-log.txt'; sleep 3; done } & jsc=durable-
35980db9e7ed8802f67b91e57704e463; JENKINS_SERVER_COOKIE=$jsc
'C:/jenkins/EW.SchedulingATP/EngineeredWorks/Scripts@tmp/durable-8f03dbed/script.sh' >
'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-log.txt' 2>&1; echo $? >
```

'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-result.txt.tmp'; mv

Jenkins

[ENABLE AUTO REFRESH](#)

'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-result.txt'; wait: stdout copier

```
"nohup sh -c { while [ -d 'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed' -a \! -f 'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-result.txt' ]; do touch 'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-log.txt'; sleep 3; done } & jsc=durable-35980db9e7ed8802f67b91e57704e463; JENKINS_SERVER_COOKIE=$jsc 'C:/jenkins/EW.SchedulingATP/EngineeredWorks/Scripts@tmp/durable-8f03dbed/script.sh' > 'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-log.txt' 2>&1; echo $? > 'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-result.txt.tmp'; mv 'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-result.txt.tmp' 'C:\jenkins\EW.SchedulingATP\EngineeredWorks\Scripts@tmp\durable-8f03dbed\jenkins-result.txt'; wait: stdout copier" Id=10631 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(Unknown Source)
  at java.io.BufferedInputStream.read1(Unknown Source)
  at java.io.BufferedInputStream.read(Unknown Source)
  - locked java.io.BufferedInputStream@12cc87b
  at java.io.FilterInputStream.read(Unknown Source)
  at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

```
nohup sh -c { while [ -d 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01' -a \! -f 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-result.txt' ]; do touch 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-log.txt'; sleep 3; done } & jsc=durable-4709883093979c1045a573365be77ac7; JENKINS_SERVER_COOKIE=$jsc 'C:/jenkins/EW.SnOP/EngineeredWorks/Scripts@tmp/durable-24d46d01/script.sh' > 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-log.txt' 2>&1; echo $? > 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-result.txt.tmp'; mv 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-result.txt.tmp' 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-result.txt'; wait: stdout copier
```

```
"nohup sh -c { while [ -d 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01' -a \! -f 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-result.txt' ]; do touch 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-log.txt'; sleep 3; done } & jsc=durable-4709883093979c1045a573365be77ac7; JENKINS_SERVER_COOKIE=$jsc 'C:/jenkins/EW.SnOP/EngineeredWorks/Scripts@tmp/durable-24d46d01/script.sh' > 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-log.txt' 2>&1; echo $? > 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-result.txt.tmp'; mv 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-result.txt.tmp' 'C:\jenkins\EW.SnOP\EngineeredWorks\Scripts@tmp\durable-24d46d01\jenkins-result.txt'; wait: stdout
```

```
copier" Id=10301 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.io.BufferedInputStream.read(Unknown Source)
- locked java.io.BufferedInputStream@1922ad0
at java.io.FilterInputStream.read(Unknown Source)
at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

```
nohup sh -c { while [ -d
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-
solution-ui@tmp\durable-bff18fa5' -a \! -f
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-
solution-ui@tmp\durable-bff18fa5\jenkins-result.txt' ]; do touch
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-
solution-ui@tmp\durable-bff18fa5\jenkins-log.txt'; sleep 3; done } &
jsc=durable-9f3943c8e6e9fbd2943bd17c24934a34;
JENKINS_SERVER_COOKIE=$jsc
'C:/jenkins/EW.SolutionUI/EngineeredWorks/SolutionUI/frontend/amat-
solution-ui@tmp/durable-bff18fa5/script.sh' >
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-
solution-ui@tmp\durable-bff18fa5\jenkins-log.txt' 2>&1; echo $? >
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-
solution-ui@tmp\durable-bff18fa5\jenkins-result.txt.tmp'; mv
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-
solution-ui@tmp\durable-bff18fa5\jenkins-result.txt.tmp'
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-
solution-ui@tmp\durable-bff18fa5\jenkins-result.txt'; wait: stdout copier
```

```
"nohup sh -c { while [ -d 'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-
solution-ui@tmp\durable-bff18fa5' -a \! -f
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-solution-ui@tmp\durable-
bff18fa5\jenkins-result.txt' ]; do touch
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-solution-ui@tmp\durable-
bff18fa5\jenkins-log.txt'; sleep 3; done } & jsc=durable-9f3943c8e6e9fbd2943bd17c24934a34;
JENKINS_SERVER_COOKIE=$jsc 'C:/jenkins/EW.SolutionUI/EngineeredWorks/SolutionUI/frontend/amat-
solution-ui@tmp/durable-bff18fa5/script.sh' >
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-solution-ui@tmp\durable-
bff18fa5\jenkins-log.txt' 2>&1; echo $? >
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-solution-ui@tmp\durable-
bff18fa5\jenkins-result.txt.tmp'; mv
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-solution-ui@tmp\durable-
bff18fa5\jenkins-result.txt.tmp'
'C:\jenkins\EW.SolutionUI\EngineeredWorks\SolutionUI\frontend\amat-solution-ui@tmp\durable-
bff18fa5\jenkins-result.txt'; wait: stdout copier" Id=9763 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(Unknown Source)
  at java.io.BufferedInputStream.read1(Unknown Source)
  at java.io.BufferedInputStream.read(Unknown Source)
  - locked java.io.BufferedInputStream@1315044
  at java.io.FilterInputStream.read(Unknown Source)
  at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

**org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1734]**

Jenkins

[ENABLE AUTO REFRESH](#)

```
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

**org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1775]**

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1775]" Id=10598 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

**org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1777]**

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1777]" Id=10600 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

**org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1778]**

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1778]" Id=10601 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
```

Jenkins

[ENABLE AUTO REFRESH](#)

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1779]

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1779]" Id=10602 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown Source)
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1780]

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1780]" Id=10603 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown Source)
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1781]

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1781]" Id=10604 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown Source)
```

Source)

at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

---

at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(Unknown Source)  
at java.lang.Thread.run(Unknown Source)

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1782]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1782]" Id=10605 Group=main  
TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba  
at sun.misc.Unsafe.park(Native Method)  
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba  
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)  
at java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.awaitNanos(Unknown  
Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(Unknown Source)  
at java.lang.Thread.run(Unknown Source)

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1783]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1783]" Id=10606 Group=main  
TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba  
at sun.misc.Unsafe.park(Native Method)  
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba  
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)  
at java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.awaitNanos(Unknown  
Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(Unknown Source)  
at java.lang.Thread.run(Unknown Source)

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1784]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1784]" Id=10607 Group=main  
TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba  
at sun.misc.Unsafe.park(Native Method)  
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba  
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)  
at java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.awaitNanos(Unknown  
Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)  
at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)  
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)

```
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1785]

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1785]" Id=10608 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1786]

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1786]" Id=10609 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1787]

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1787]" Id=10610 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)
```

**org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1788]**

Jenkins [ENABLE AUTO REFRESH](#)

---

```
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

**org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1789]**

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1789]" Id=10617 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

**org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1790]**

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1790]" Id=10618 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

**org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1791]**

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1791]" Id=10619 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
```

Jenkins

[ENABLE AUTO REFRESH](#)

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1792]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1792]" Id=10620 Group=main  
TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown Source)
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1793]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1793]" Id=10621 Group=main  
TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown Source)
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1794]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1794]" Id=10622 Group=main  
TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown Source)
```

Source)

at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(Unknown Source)

at java.lang.Thread.run(Unknown Source)

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1795]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1795]" Id=10623 Group=main

TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

at sun.misc.Unsafe.park(Native Method)

- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)

at java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.awaitNanos(Unknown

Source)

at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)

at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)

at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)

at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(Unknown Source)

at java.lang.Thread.run(Unknown Source)

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1796]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1796]" Id=10624 Group=main

TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

at sun.misc.Unsafe.park(Native Method)

- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)

at java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.awaitNanos(Unknown

Source)

at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)

at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)

at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)

at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(Unknown Source)

at java.lang.Thread.run(Unknown Source)

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1797]

"org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1797]" Id=10625 Group=main

TIMED\_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

at sun.misc.Unsafe.park(Native Method)

- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@2e52ba

at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)

at java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.awaitNanos(Unknown

Source)

at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)

at java.util.concurrent.ScheduledThreadPoolExecutor\$DelayedWorkQueue.poll(Unknown Source)

at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)

```
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1798]

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1798]" Id=10626 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.durable\_task.DurableTaskStep [#1799]

```
"org.jenkinsci.plugins.workflow.steps.durable_task.DurableTaskStep [#1799]" Id=10630 Group=main
TIMED_WAITING on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2e52ba
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.poll(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)
```

## org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#77]

```
"org.jenkinsci.plugins.workflow.steps.SynchronousNonBlockingStepExecution [#77]" Id=10629
Group=main TIMED_WAITING on java.util.concurrent.SynchronousQueue$TransferStack@68794f
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@68794f
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
    at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown Source)
    at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)
```

## RequestHandlerThread[#287]

```

Jenkins ENABLE AUTO REFRESH
-----
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1607f79
    at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
    at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
    at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.reservedWait(ReservedThreadExec
utor.java:308)
    at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:373)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@1277f4d

```

## RequestHandlerThread[#293]

```

"RequestHandlerThread[#293]" Id=9537 Group=main RUNNABLE (in native)
    at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
    at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
    at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
    at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
    at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
    - locked sun.nio.ch.Util$2@6fbdbd
    - locked java.util.Collections$UnmodifiableSet@4be3b7
    - locked sun.nio.ch.WindowsSelectorImpl@1ce86d2
    at sun.nio.ch.SelectorImpl.select(Unknown Source)
    at sun.nio.ch.SelectorImpl.select(Unknown Source)
    at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
    at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
    at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
    at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
    at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
    at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
    at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@1b03222

```

## RequestHandlerThread[#295]

Jenkins [ENABLE AUTO REFRESH](#)

```

at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
- locked sun.nio.ch.Util$2@10fac73
- locked java.util.Collections$UnmodifiableSet@1cbc4a8
- locked sun.nio.ch.WindowsSelectorImpl@1d17973
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@d1d58e

## RequestHandlerThread[#306]

```

"RequestHandlerThread[#306]" Id=10457 Group=main RUNNABLE (in native)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
- locked sun.nio.ch.Util$2@12cab80
- locked java.util.Collections$UnmodifiableSet@4fd155
- locked sun.nio.ch.WindowsSelectorImpl@1c9e8b1
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)

```

at java.lang.Thread.run(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

## RequestHandlerThread[#313]

```
"RequestHandlerThread[#313]" Id=10596 Group=main RUNNABLE (in native)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
  at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
  - locked sun.nio.ch.Util$2@288688
  - locked java.util.Collections$UnmodifiableSet@1adf5
  - locked sun.nio.ch.WindowsSelectorImpl@18a0ebb
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
  at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
  at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@1577b83
```

## RequestHandlerThread[#314]

```
"RequestHandlerThread[#314]" Id=10633 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1135881
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1135881
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.reservedWait(ReservedThreadExec
utor.java:308)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:373)
  at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

at java.lang.Thread.run(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

## RequestHandlerThread[#315]

```
"RequestHandlerThread[#315]" Id=10634 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1d4a30b
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1d4a30b
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.reservedWait(ReservedThreadExec
utor.java:308)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:373)
  at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@7086f7
```

## RequestHandlerThread[#5]-acceptor-0@1e59ab1-ServerConnector@6a1e84{HTTP/1.1,[http/1.1]}{0.0.0.0:8080}

```
"RequestHandlerThread[#5]-acceptor-0@1e59ab1-ServerConnector@6a1e84{HTTP/1.1,[http/1.1]}
{0.0.0.0:8080}" Id=15 Group=main RUNNABLE (in native)
  at sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)
  at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
  at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
  - locked java.lang.Object@cbfb94
  at org.eclipse.jetty.server.ServerConnector.accept(ServerConnector.java:379)
  at org.eclipse.jetty.server.AbstractConnector$Acceptor.run(AbstractConnector.java:638)
  at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@18e1d9d
```

## Running CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]

```
"Running CpsFlowExecution[Owner[EW.DispatchingATP/2:EW.DispatchingATP #2]]" Id=312 Group=main
WAITING on java.util.concurrent.locks.ReentrantReadWriteLock$NonfairSync@1deac84
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.ReentrantReadWriteLock$NonfairSync@1deac84
```

Jenkins

[ENABLE AUTO REFRESH](#)

Source)

```
at java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
at java.util.concurrent.locks.ReentrantReadWriteLock$WriteLock.lock(Unknown Source)
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$TimingFlowNodeStorage.flush(CpsFlowExecution.java:1797)
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.onProgramEnd(CpsFlowExecution.java:1251)
- locked org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup.run(CpsThreadGroup.java:355)
at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup.access$200(CpsThreadGroup.java:83)
at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup$2.call(CpsThreadGroup.java:244)
at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup$2.call(CpsThreadGroup.java:232)
at
org.jenkinsci.plugins.workflow.cps.CpsVmExecutorService$2.call(CpsVmExecutorService.java:64)
at java.util.concurrent.FutureTask.run(Unknown Source)
at hudson.remoting.SingleLaneExecutorService$1.run(SingleLaneExecutorService.java:131)
at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
at java.util.concurrent.FutureTask.run(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@d7b723
```

## Running CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]

```
"Running CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423 Group=main
WAITING on java.util.concurrent.locks.ReentrantReadWriteLock$NonfairSync@adbc3d
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.ReentrantReadWriteLock$NonfairSync@adbc3d
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unknown
```

Source)

```
at java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
at java.util.concurrent.locks.ReentrantReadWriteLock$WriteLock.lock(Unknown Source)
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$TimingFlowNodeStorage.flush(CpsFlowExecution.java:1797)
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.onProgramEnd(CpsFlowExecution.java:1251)
```

```
- locked org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup.run(CpsThreadGroup.java:355)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup.run(CpsThreadGroup.java:355)
at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup$2.call(CpsThreadGroup.java:232)
at
org.jenkinsci.plugins.workflow.cps.CpsVmExecutorService$2.call(CpsVmExecutorService.java:64)
at java.util.concurrent.FutureTask.run(Unknown Source)
at hudson.remoting.SingleLaneExecutorService$1.run(SingleLaneExecutorService.java:131)
at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
at java.util.concurrent.FutureTask.run(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

```
- java.util.concurrent.ThreadPoolExecutor$Worker@c965b3
```

## Scheduler-15646666

"Scheduler-15646666" Id=103 Group=main TIMED\_WAITING on

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@76eb1a
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@76eb1a
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

## Scheduler-16126060

"Scheduler-16126060" Id=8 Group=main TIMED\_WAITING on

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@19017c9
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@19017c9
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

at java.lang.Thread.run(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

```
"Scheduler-29200967" Id=55 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@4e3896
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@4e3896
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## SocketListener(JABBA42.local.)

```
"SocketListener(JABBA42.local.)" Id=85 Group=main RUNNABLE (in native)
  at java.net.TwoStacksPlainDatagramSocketImpl.receive0(Native Method)
  - locked java.net.TwoStacksPlainDatagramSocketImpl@1bae769
  at java.net.TwoStacksPlainDatagramSocketImpl.receive(Unknown Source)
  - locked java.net.TwoStacksPlainDatagramSocketImpl@1bae769
  at java.net.DatagramSocket.receive(Unknown Source)
  - locked java.net.DatagramPacket@3ded3f
  - locked java.net.MulticastSocket@f759f9
  at javax.jmdns.impl.SocketListener.run(SocketListener.java:41)
```

## Thread-3

```
"Thread-3" Id=42 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@19c7e78
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@19c7e78
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
  at java.util.concurrent.LinkedBlockingQueue.poll(Unknown Source)
  at
org.jenkinsci.plugins.pubsub.listeners.SyncQueueListener$1.run(SyncQueueListener.java:93)
```

## Thread-6

```
"Thread-6" Id=80 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1a63e39
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1a63e39
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
```

Source)

at java.util.concurrent.LinkedBlockingQueue.take(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

## Timeout.interruptions [#1]

```
"Timeout.interruptions [#1]" Id=109 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@c06586
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@c06586
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## Timer-0

```
"Timer-0" Id=78 Group=main TIMED_WAITING on java.util.TaskQueue@18bb367
  at java.lang.Object.wait(Native Method)
  - waiting on java.util.TaskQueue@18bb367
  at java.util.TimerThread.mainLoop(Unknown Source)
  at java.util.TimerThread.run(Unknown Source)
```

## Windows IOHub Watcher for IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#1]

```
"Windows IOHub Watcher for IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#1]"
Id=82 Group=main TIMED_WAITING on java.lang.Object@17f984e
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.Object@17f984e
  at org.jenkinsci.remoting.protocol.IOHub$IOHubSelectorWatcher.run(IOHub.java:543)
  at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
  at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@110c13b

## WorkflowRun.copyLogs [#1] (EW.DispatchingATP #2)

"WorkflowRun.copyLogs [#1] (EW.DispatchingATP #2)" Id=107 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24 owned by "Running

Jenkins

[ENABLE AUTO REFRESH](#)

```
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$Timing.close(CpsFlowExecution.java:424)
-   blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d5b24
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$TimingFlowNodeStorage.getNode(CpsFlowExecution.java:1770)
  at org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getNode(CpsFlowExecution.java:1168)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun.copyLogs(WorkflowRun.java:557)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun.access$500(WorkflowRun.java:144)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun$3.run(WorkflowRun.java:410)
  -   locked java.lang.Object@10bda8f
  at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
  at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
-   java.util.concurrent.ThreadPoolExecutor$Worker@fb6e4b
```

## WorkflowRun.copyLogs [#2]

```
"WorkflowRun.copyLogs [#2]" Id=111 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@11b57bb
  at sun.misc.Unsafe.park(Native Method)
  -   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@11b57bb
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## WorkflowRun.copyLogs [#3]

```
"WorkflowRun.copyLogs [#3]" Id=114 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@11b57bb
  at sun.misc.Unsafe.park(Native Method)
  -   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@11b57bb
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
```

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.lang.Thread.run(Unknown Source)
```

## WorkflowRun.copyLogs [#4] (EW.MasterPlanning #3)

```
"WorkflowRun.copyLogs [#4] (EW.MasterPlanning #3)" Id=116 Group=main BLOCKED on
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02 owned by "Running
CpsFlowExecution[Owner[EW.MasterPlanning/3:EW.MasterPlanning #3]]" Id=2423
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$Timing.close(CpsFlowExecution.java:424)
  - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@d3da02
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$TimingFlowNodeStorage.getNode(CpsFlowExecution.
java:1770)
  at org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getNode(CpsFlowExecution.java:1168)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun.copyLogs(WorkflowRun.java:557)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun.access$500(WorkflowRun.java:144)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun$3.run(WorkflowRun.java:410)
  - locked java.lang.Object@8bb22f
  at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
  at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@14b1ed9
```

## WorkflowRun.copyLogs [#5]

```
"WorkflowRun.copyLogs [#5]" Id=117 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@11b57bb
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@11b57bb
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## Attach Listener

"Attach Listener" Id=4 Group=system RUNNABLE

Jenkins

[ENABLE AUTO REFRESH](#)

```
"AWT-Window" Id=4364 Group=system RUNNABLE (in native)
  at sun.awt.windows.WToolkit.eventLoop(Native Method)
  at sun.awt.windows.WToolkit.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@15763dc
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@15763dc
  at java.lang.ref.ReferenceQueue.remove(Unknown Source)
  at java.lang.ref.ReferenceQueue.remove(Unknown Source)
  at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

## Java2D Disposer

```
"Java2D Disposer" Id=9 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@1f1de31
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@1f1de31
  at java.lang.ref.ReferenceQueue.remove(Unknown Source)
  at java.lang.ref.ReferenceQueue.remove(Unknown Source)
  at sun.java2d.Disposer.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@3f3bb9
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@3f3bb9
  at java.lang.Object.wait(Unknown Source)
  at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```