



Jenkins

[ENABLE AUTO REFRESH](#)

- [New Item](#)
- [People](#)
- [Build History](#)
- [Project Relationship](#)
- [Check File Fingerprint](#)
- [Manage Jenkins](#)
- [Open Blue Ocean](#)
- [Credentials](#)
- [New View](#)

Build Queue (5)

- [EW.FullAuto](#)
- [EW.FullAuto](#)
- [EW.SolutionUI](#)
- [EW.FullAuto](#)
- [EW.SolutionUI](#)

Build Executor Status

- 1 Idle
- 2 Idle
- 3 Idle
- 4 Idle
- 5 Idle
- 6 Idle
- 7 Idle
- 8 Idle
- 9 Idle
- 10 Idle
- 11 Idle
- 12 Idle
- 13 Idle
- 14 Idle
- 15 Idle

16 Idle

17 Idle

Jenkins

[ENABLE AUTO REFRESH](#)

19 Idle

20 Idle

[EW.FullAuto](#)

#3

[EW.SolutionUI](#)

#14

**Next Executions**[EW.NightlyBuild](#)

10/05/2018 23:11

[EW.InstallChocoPackages](#)

11/05/2018 01:31

Thread Dump

DestroyJavaVM

"DestroyJavaVM" Id=20 Group=main RUNNABLE

FilePath.localPool [#65]

"FilePath.localPool [#65]" Id=11930 Group=main RUNNABLE

```

at sun.management.ThreadImpl.dumpThreads0(Native Method)
at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
at hudson.Functions.getThreadInfos(Functions.java:1243)
at hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
at hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
at hudson.remoting.LocalChannel$1.call(LocalChannel.java:52)
at

```

```

jenkins.util.ContextResettingExecutorService$2.call(ContextResettingExecutorService.java:46)
at java.util.concurrent.FutureTask.run(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1c44d98

Handling GET

/blue/rest/organizations/jenkins/pipelines/EW.SolutionUI/runs/14/ from 172.24.5.191 : RequestHandlerThread[#920]

"Handling GET /blue/rest/organizations/jenkins/pipelines/EW.SolutionUI/runs/14/ from 172.24.5.191 : RequestHandlerThread[#920]" Id=8439 Group=main BLOCKED on

org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@f2c9b owned by "Running CpsFlowExecution[Owner[EW.SolutionUI/14:EW.SolutionUI #14]]" Id=9806

at

org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)

- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@f2c9b
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>

Jenkins

[ENABLE AUTO REFRESH](#)

```
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr  
aphBuilder.java:39)  
    at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>  
(PipelineNodeContainerImpl.java:32)  
    at  
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)  
    at  
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)  
    at  
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)  
    at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)  
    at java.lang.invoke.LambdaForm$BMH/3597539.reinvoke(LambdaForm$BMH)  
    at java.lang.invoke.LambdaForm$MH/16773363.invoke_MT(LambdaForm$MH)  
    at  
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)  
    at  
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)  
    at  
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)  
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)  
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)  
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)  
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)  
    at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)  
    at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)  
    at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:139)  
    at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)  
    at  
io.jenkins.blueocean.commons.stapler.TreeResponse$Processor$1.generateResponse(TreeResponse.java:48  
)  
    at  
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)  
    at  
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)  
    at org.kohsuke.stapler.Function.renderResponse(Function.java:136)  
    at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)  
    at org.kohsuke.stapler.IndexDispatcher.dispatch(IndexDispatcher.java:26)  
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)  
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)  
    at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)  
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)  
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)  
    at org.kohsuke.stapler.MetaClass$3.doDispatch(MetaClass.java:209)  
    at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)  
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)  
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)  
    at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)  
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)  
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)  
    at org.kohsuke.stapler.MetaClass$3.doDispatch(MetaClass.java:209)
```

```
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
```

```
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1dc8641

Handling GET /blue/rest/search/ from 10.187.153.206 : RequestHandlerThread[#552]

```
"Handling GET /blue/rest/search/ from 10.187.153.206 : RequestHandlerThread[#552]" Id=6378
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
```

y.java:42)
at

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.lang.invoke.LambdaForm$BMH/3597539.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/16773363.invoke_MT(LambdaForm$MH)
at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
```

```
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
Jenkins ENABLE AUTO REFRESH
-----
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
```

```
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
Number of locked synchronizers = 1
```

```
- java.util.concurrent.ThreadPoolExecutor$Worker@1b74a7d
```

Handling GET /blue/rest/search/ from 10.187.153.206 : RequestHandlerThread[#654]

```
"Handling GET /blue/rest/search/ from 10.187.153.206 : RequestHandlerThread[#654]" Id=6952
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
  - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
  at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
  at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
  at java.lang.invoke.LambdaForm$BMH/3597539.reinvoke(LambdaForm$BMH)
  at java.lang.invoke.LambdaForm$MH/16773363.invoke_MT(LambdaForm$MH)
  at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
  at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
  at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
```



```
at io.jenkins.blueocean.common.stapler.export.Model.writeTo(Model.java:199)
at io.jenkins.blueocean.common.stapler.Export.writeOne(Export.java:148)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
```

```

at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
Jenkins ENABLE AUTO REFRESH
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@a30b47

```

Handling GET /blue/rest/search/ from 10.187.153.206 : RequestHandlerThread[#706]

```

"Handling GET /blue/rest/search/ from 10.187.153.206 : RequestHandlerThread[#706]" Id=7250
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)

```

```
    at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
Jenkins ENABLE AUTO REFRESH
-----
    at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
    at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummary.java:42)
    at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
    at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
    at java.lang.invoke.LambdaForm$BMH/3597539.reinvoke(LambdaForm$BMH)
    at java.lang.invoke.LambdaForm$MH/16773363.invoke_MT(LambdaForm$MH)
    at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
    at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
    at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
    at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
    at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
    at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
    at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
    at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
    at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
    at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
    at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
    at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
    at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
```

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
```

```

at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)

```

Jenkins

[ENABLE AUTO REFRESH](#)

```

at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@3d35e2

Handling GET /blue/rest/search/ from 10.187.153.206 : RequestHandlerThread[#921]

```

"Handling GET /blue/rest/search/ from 10.187.153.206 : RequestHandlerThread[#921]" Id=8444
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/3597539.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/16773363.invoke_MT(LambdaForm$MH)
at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)

```

```
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
```

```
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@33a694

Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#354]

"Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#354]" Id=4918
Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659

```
    at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
Jenkins ENABLE AUTO REFRESH
(PipelineNodeGraphVisitor.java:102)
    at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGraphBuilder.java:39)
    at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
    at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
    at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
    at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummary.java:42)
    at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
    at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
    at java.lang.invoke.LambdaForm$BMH/3597539.reinvoke(LambdaForm$BMH)
    at java.lang.invoke.LambdaForm$MH/16773363.invoke_MT(LambdaForm$MH)
    at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
    at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
    at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
    at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
    at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
    at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
    at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
    at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
    at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
    at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
    at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
    at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
    at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```



```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
```

```

at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)

```

Jenkins

[ENABLE AUTO REFRESH](#)

```

at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@af7be9

Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#55]

"Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#55]" Id=1707 Group=main
 BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
 CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659

```

at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/3597539.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/16773363.invoke_MT(LambdaForm$MH)
at

```

```
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
    at
```

```
Jenkins
```

[ENABLE AUTO REFRESH](#)

```
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
    at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
    at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
    at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
    at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
    at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
    at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70)
)
    at
org.kohsuke.stapler.HttpResponseRenderer$Default.handleHttpResponse(HttpResponseRenderer.java:124)
    at
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
    at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
    at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
    at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
    at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
    at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
    at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
    at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
    at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
    at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
    at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
    at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
    at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
    at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61
```

```
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@8b5c35

Jenkins

[ENABLE AUTO REFRESH](#)

RequestHandlerThread[#79]

"Handling GET /blue/rest/search/ from 10.229.16.203 : RequestHandlerThread[#79]" Id=2080 Group=main
BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659

```
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
  - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeGraphVisitor.<init>
(PipelineNodeGraphVisitor.java:102)
  at
io.jenkins.blueocean.rest.impl.pipeline.NodeGraphBuilder$NodeGraphBuilderFactory.getInstance(NodeGr
aphBuilder.java:39)
  at io.jenkins.blueocean.rest.impl.pipeline.PipelineNodeContainerImpl.<init>
(PipelineNodeContainerImpl.java:32)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getNodes(PipelineRunImpl.java:182)
  at
io.jenkins.blueocean.rest.impl.pipeline.PipelineRunImpl.getStateObj(PipelineRunImpl.java:118)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractBlueRunSummary.getStateObj(AbstractBlueRunSummar
y.java:42)
  at
io.jenkins.blueocean.service.embedded.rest.AbstractRunImpl.getResult(AbstractRunImpl.java:148)
  at java.lang.invoke.LambdaForm$DMH/31611766.invokeVirtual_L_L(LambdaForm$DMH)
  at java.lang.invoke.LambdaForm$BMH/3597539.reinvoke(LambdaForm$BMH)
  at java.lang.invoke.LambdaForm$MH/16773363.invoke_MT(LambdaForm$MH)
  at
io.jenkins.blueocean.commons.stapler.export.MethodProperty.getValue(MethodProperty.java:72)
  at
io.jenkins.blueocean.commons.stapler.export.ExportInterceptor$1.getValue(ExportInterceptor.java:46)
  at
io.jenkins.blueocean.commons.stapler.Export$BlueOceanExportInterceptor.getValue(Export.java:167)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:136)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:303)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeValue(Property.java:169)
  at io.jenkins.blueocean.commons.stapler.export.Property.writeTo(Property.java:154)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:228)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeNestedObjectTo(Model.java:224)
  at io.jenkins.blueocean.commons.stapler.export.Model.writeTo(Model.java:199)
  at io.jenkins.blueocean.commons.stapler.Export.writeOne(Export.java:148)
  at io.jenkins.blueocean.commons.stapler.Export.serveExposedBean(Export.java:136)
  at io.jenkins.blueocean.commons.stapler.Export.doJson(Export.java:79)
  at
io.jenkins.blueocean.rest.pageable.PagedResponse$Processor$1.generateResponse(PagedResponse.java:70
```

)

at

Jenkins

[ENABLE AUTO REFRESH](#)

```
org.kohsuke.stapler.HttpResponseRenderer$Default.generateResponse(HttpResponseRenderer.java:69)
  at org.kohsuke.stapler.Function.renderResponse(Function.java:136)
  at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:119)
  at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
  at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:686)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
  at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
  at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
  at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
  at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
  at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
  at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
  at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
  at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
```

```
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@143e41d

Handling GET /job/EW.FullAuto/3/flowGraphTable/ from 10.187.153.206 : RequestHandlerThread[#924] FlowGraphTableAction/index.jelly

```
"Handling GET /job/EW.FullAuto/3/flowGraphTable/ from 10.187.153.206 : RequestHandlerThread[#924]
FlowGraphTableAction/index.jelly" Id=8459 Group=main BLOCKED on
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at
org.jenkinsci.plugins.workflow.support.visualization.table.FlowGraphTable.createAllRows(FlowGraphTable.java:71)
at
org.jenkinsci.plugins.workflow.support.visualization.table.FlowGraphTable.build(FlowGraphTable.java:56)
at
org.jenkinsci.plugins.workflow.job.views.FlowGraphTableAction.getFlowGraph(FlowGraphTableAction.java:57)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
```

```
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at
org.apache.commons.jexl.util.introspection.UberspectImpl$VelGetterImpl.invoke(UberspectImpl.java:314)
at org.apache.commons.jexl.parser.ASTArrayAccess.evaluateExpr(ASTArrayAccess.java:185)
at org.apache.commons.jexl.parser.ASTIdentifier.execute(ASTIdentifier.java:75)
at org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)
at org.apache.commons.jexl.parser.ASTReference.value(ASTReference.java:57)
at
org.apache.commons.jexl.parser.ASTReferenceExpression.value(ASTReferenceExpression.java:51)
at org.apache.commons.jexl.ExpressionImpl.evaluate(ExpressionImpl.java:80)
at hudson.ExpressionFactory2$JexlExpression.evaluate(ExpressionFactory2.java:74)
at
org.apache.commons.jelly.expression.ExpressionSupport.evaluateRecurse(ExpressionSupport.java:61)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:263)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
at org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$1.run(CoreTagLibrary.java:98)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
at org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
at org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
at org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
at org.kohsuke.stapler.jelly.JellyViewScript.run(JellyViewScript.java:95)
at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker.java:63)
at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker.java:53)
at org.kohsuke.stapler.jelly.JellyClassTearOff.serveIndexJelly(JellyClassTearOff.java:112)
at org.kohsuke.stapler.jelly.JellyFacet.handleIndexRequest(JellyFacet.java:140)
at org.kohsuke.stapler.IndexViewDispatcher.dispatch(IndexViewDispatcher.java:30)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$10.dispatch(MetaClass.java:374)
```



```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
```

```
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@7ca958

Handling GET /job/EW.FullAuto/wfapi/runs from 10.187.153.206 : RequestHandlerThread[#938]

"Handling GET /job/EW.FullAuto/wfapi/runs from 10.187.153.206 : RequestHandlerThread[#938]" Id=9952 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659

```
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/6351673.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/8345964.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/8650660.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/24746682.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
```

```
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1f81dba

Handling GET /job/EW.FullAuto/wfapi/runs from 10.187.153.206 : RequestHandlerThread[#960]

```
"Handling GET /job/EW.FullAuto/wfapi/runs from 10.187.153.206 : RequestHandlerThread[#960]"
Id=11922 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by
"Running CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/6351673.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/8345964.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/8650660.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/24746682.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
```

```

at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)

```

Jenkins

[ENABLE AUTO REFRESH](#)

```

at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1a3ddd1

Handling GET /job/EW.FullAuto/wfapi/runs from 10.229.16.203 : RequestHandlerThread[#133]

"Handling GET /job/EW.FullAuto/wfapi/runs from 10.229.16.203 : RequestHandlerThread[#133]" Id=3109 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659

```

at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/6351673.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/8345964.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/8650660.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/24746682.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)

```

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
```

```
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@37d039

Handling GET /job/EW.FullAuto/wfapi/runs from 10.229.16.203 : RequestHandlerThread[#344]

"Handling GET /job/EW.FullAuto/wfapi/runs from 10.229.16.203 : RequestHandlerThread[#344]" Id=4295 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659

```
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/6351673.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/8345964.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/8650660.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/24746682.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```



```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
```

```
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@16d84f1

Handling GET /job/EW.FullAuto/wfapi/runs from 10.229.16.203 : RequestHandlerThread[#46]

"Handling GET /job/EW.FullAuto/wfapi/runs from 10.229.16.203 : RequestHandlerThread[#46]" Id=875 Group=main BLOCKED on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659

```
at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getCurrentHeads(CpsFlowExecution.java:962)
- blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
at
org.jenkinsci.plugins.workflow.flow.FlowExecution.getCauseOfFailure(FlowExecution.java:227)
at com.cloudbees.workflow.rest.external.RunExt.initStatus(RunExt.java:360)
at com.cloudbees.workflow.rest.external.RunExt.createMinimal(RunExt.java:241)
at com.cloudbees.workflow.rest.external.RunExt.createNew(RunExt.java:317)
at com.cloudbees.workflow.rest.external.RunExt.create(RunExt.java:309)
at com.cloudbees.workflow.rest.external.JobExt.create(JobExt.java:131)
at com.cloudbees.workflow.rest.endpoints.JobAPI.doRuns(JobAPI.java:69)
at java.lang.invoke.LambdaForm$DMH/6351673.invokeVirtual_LLI_L(LambdaForm$DMH)
at java.lang.invoke.LambdaForm$BMH/8345964.reinvoke(LambdaForm$BMH)
at java.lang.invoke.LambdaForm$MH/8650660.invoker(LambdaForm$MH)
at java.lang.invoke.LambdaForm$MH/24746682.invokeExact_MT(LambdaForm$MH)
at java.lang.invoke.MethodHandle.invokeWithArguments(Unknown Source)
at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
at com.cloudbees.workflow.util.ServeJson$Processor.invoke(ServeJson.java:30)
at
org.kohsuke.stapler.PreInvokeInterceptedFunction.invoke(PreInvokeInterceptedFunction.java:26)
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61
)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
```

```
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@bf9f00

Handling GET /threadDump from 10.187.153.206 : RequestHandlerThread[#954] Jenkins/threadDump.jelly

"Handling GET /threadDump from 10.187.153.206 : RequestHandlerThread[#954]

Jenkins/threadDump.jelly" Id=11707 Group=main TIMED_WAITING on

java.util.concurrent.FutureTask@1e2f73c

at sun.misc.Unsafe.park(Native Method)

- waiting on java.util.concurrent.FutureTask@1e2f73c

at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)

at java.util.concurrent.FutureTask.awaitDone(Unknown Source)

at java.util.concurrent.FutureTask.get(Unknown Source)

at hudson.remoting.LocalChannel\$2.get(LocalChannel.java:81)

at jenkins.model.Jenkins.getAllThreadDumps(Jenkins.java:3856)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)

at java.lang.reflect.Method.invoke(Unknown Source)

at

org.apache.commons.jexl.util.introspection.UberspectImpl\$VelMethodImpl.invoke(UberspectImpl.java:258)

at org.apache.commons.jexl.parser.ASTMethod.execute(ASTMethod.java:104)

at org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)

at org.apache.commons.jexl.parser.ASTReference.value(ASTReference.java:57)

at

org.apache.commons.jexl.parser.ASTReferenceExpression.value(ASTReferenceExpression.java:51)

at org.apache.commons.jexl.ExpressionImpl.evaluate(ExpressionImpl.java:80)

at hudson.ExpressionFactory2\$JexlExpression.evaluate(ExpressionFactory2.java:74)

at org.apache.commons.jelly.tags.core.CoreTagLibrary\$3.run(CoreTagLibrary.java:134)

at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)

at org.kohsuke.stapler.jelly.CallTagLibScript\$1.run(CallTagLibScript.java:99)

```
at org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
at org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
at org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
at org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.java:99)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
at org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
at org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
at org.kohsuke.stapler.jelly.JellyViewScript.run(JellyViewScript.java:95)
at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker.java:63)
at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker.java:53)
  at org.kohsuke.stapler.jelly.JellyFacet$1.dispatch(JellyFacet.java:97)
  at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
  at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
  at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
  at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
  at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:860)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1650)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:154)
  at
org.jenkinsci.plugins.ssegateway.Endpoint$SSEListenChannelFilter.doFilter(Endpoint.java:225)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at io.jenkins.blueocean.ResourceCacheControl.doFilter(ResourceCacheControl.java:134)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at
io.jenkins.blueocean.auth.jwt.impl.JwtAuthenticationFilter.doFilter(JwtAuthenticationFilter.java:61)
)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at jenkins.metrics.impl.MetricsFilter.doFilter(MetricsFilter.java:125)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:151)
  at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:157)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:105)
  at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
  at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
```

```
at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
at org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1637)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:533)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:524)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:190)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:1595)
at org.eclipse.jetty.server.handler.ScopedHandler.nextHandle(ScopedHandler.java:188)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1253)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:168)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:473)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:1564)
at org.eclipse.jetty.server.handler.ScopedHandler.nextScope(ScopedHandler.java:166)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1155)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:132)
at org.eclipse.jetty.server.Server.handle(Server.java:530)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:347)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:256)
at
org.eclipse.jetty.io.AbstractConnection$ReadCallback.succeeded(AbstractConnection.java:279)
at org.eclipse.jetty.io.FillInterest.fillable(FillInterest.java:102)
at org.eclipse.jetty.io.ChannelEndPoint$2.run(ChannelEndPoint.java:124)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:247)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@14383c0

IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#1]

"IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#1]" Id=98 Group=main RUNNABLE (in native)

```
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
```

```
at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
- locked sun.nio.ch.Util$2@256259
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at org.jenkinsci.remoting.protocol.IOHub.run(IOHub.java:455)
at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

```
- java.util.concurrent.ThreadPoolExecutor$Worker@c28362
```

Jenkins cron thread

```
"Jenkins cron thread" Id=24 Group=main WAITING on java.util.TaskQueue@13d0253
at java.lang.Object.wait(Native Method)
- waiting on java.util.TaskQueue@13d0253
at java.lang.Object.wait(Unknown Source)
at java.util.TimerThread.mainLoop(Unknown Source)
at java.util.TimerThread.run(Unknown Source)
```

Jenkins UDP 33848 monitoring thread

```
"Jenkins UDP 33848 monitoring thread" Id=97 Group=main RUNNABLE (in native)
at java.net.TwoStacksPlainDatagramSocketImpl.receive0(Native Method)
- locked java.net.TwoStacksPlainDatagramSocketImpl@e345a1
at java.net.TwoStacksPlainDatagramSocketImpl.receive(Unknown Source)
- locked java.net.TwoStacksPlainDatagramSocketImpl@e345a1
at java.net.DatagramSocket.receive(Unknown Source)
- locked java.net.DatagramPacket@18bc14e
- locked java.net.MulticastSocket@cb06f
at hudson.UDPBroadcastThread.run(UDPBroadcastThread.java:84)
```

jenkins.util.Timer [#10]

```
"jenkins.util.Timer [#10]" Id=71 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
```

```
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

jenkins.util.Timer [#1]

```
"jenkins.util.Timer [#1]" Id=25 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#2]

```
"jenkins.util.Timer [#2]" Id=39 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#3]

```
"jenkins.util.Timer [#3]" Id=62 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```


jenkins.util.Timer [#4]

Jenkins

[ENABLE AUTO REFRESH](#)

```
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#5]

```
"jenkins.util.Timer [#5]" Id=64 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#6]

```
"jenkins.util.Timer [#6]" Id=65 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#7]

```
"jenkins.util.Timer [#7]" Id=67 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
```

Jenkins

[ENABLE AUTO REFRESH](#)

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#8]

"jenkins.util.Timer [#8]" Id=69 Group=main WAITING on

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#9]

"jenkins.util.Timer [#9]" Id=70 Group=main WAITING on

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@f50de0
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

JGit-WorkQueue

"JGit-WorkQueue" Id=383 Group=main TIMED_WAITING on

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@ee73c6
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@ee73c6
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

JmDNS(JABBA35.local.).State.Timer

```
"JmDNS(JABBA35.local.).State.Timer" Id=103 Group=main TIMED_WAITING on java.util.TaskQueue@1b92aff
at java.lang.Object.wait(Native Method)
- waiting on java.util.TaskQueue@1b92aff
at java.util.TimerThread.mainLoop(Unknown Source)
at java.util.TimerThread.run(Unknown Source)
```

JmDNS(JABBA35.local.).Timer

```
"JmDNS(JABBA35.local.).Timer" Id=102 Group=main TIMED_WAITING on java.util.TaskQueue@170ff08
at java.lang.Object.wait(Native Method)
- waiting on java.util.TaskQueue@170ff08
at java.util.TimerThread.mainLoop(Unknown Source)
at java.util.TimerThread.run(Unknown Source)
```

LauncherControlThread[ControlPort=-1]

```
"LauncherControlThread[ControlPort=-1]" Id=18 Group=main TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at winstone.Launcher.run(Launcher.java:245)
at java.lang.Thread.run(Unknown Source)
```

NioChannelHub keys=0 gen=0: Computer.threadPoolForRemoting [#2]

```
"NioChannelHub keys=0 gen=0: Computer.threadPoolForRemoting [#2]" Id=100 Group=main RUNNABLE (in native)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
- locked sun.nio.ch.Util$2@84ec7e
- locked java.util.Collections$UnmodifiableSet@1a59705
- locked sun.nio.ch.WindowsSelectorImpl@7b5f77
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at org.jenkinsci.remoting.nio.NioChannelHub.run(NioChannelHub.java:585)
at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
```

```
at java.util.concurrent.FutureTask.run(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@ffd558
```

pool-8-thread-1

```
"pool-8-thread-1" Id=3754 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@837c18
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@837c18
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.LinkedBlockingQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

RequestHandlerThread[#7]-acceptor-0@dd268d-ServerConnector@57d4dd{HTTP/1.1,[http/1.1]}{0.0.0.0:8080}

```
"RequestHandlerThread[#7]-acceptor-0@dd268d-ServerConnector@57d4dd{HTTP/1.1,[http/1.1]}
{0.0.0.0:8080}" Id=17 Group=main RUNNABLE (in native)
  at sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)
  at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
  at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
  - locked java.lang.Object@2d4363
  at org.eclipse.jetty.server.ServerConnector.accept(ServerConnector.java:379)
  at org.eclipse.jetty.server.AbstractConnector$Acceptor.run(AbstractConnector.java:638)
  at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

```
Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@10f2942
```

RequestHandlerThread[#937]

```
"RequestHandlerThread[#937]" Id=9857 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1a174c9
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1a174c9
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at
```

```
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.reservedWait(ReservedThreadExec
utor.java:308)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
:373)
```

```
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1f75d3f

RequestHandlerThread[#939]

```
"RequestHandlerThread[#939]" Id=10350 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@797e62
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@797e62
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown Source)
at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

RequestHandlerThread[#942]

```
"RequestHandlerThread[#942]" Id=10603 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@a713a2
```

```
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@a713a2
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
```

```
Source)
```

```
at
```

```
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.reservedWait(ReservedThreadExec
utor.java:308)
```

```
at
```

```
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:373)
```

```
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1f1532f

RequestHandlerThread[#946]

Jenkins [ENABLE AUTO REFRESH](#)

```

at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
- locked sun.nio.ch.Util$2@e2b0f7
- locked java.util.Collections$UnmodifiableSet@18d36ea
- locked sun.nio.ch.WindowsSelectorImpl@1138099
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@102329e

```

RequestHandlerThread[#948]

```

"RequestHandlerThread[#948]" Id=11413 Group=main RUNNABLE (in native)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
- locked sun.nio.ch.Util$2@14f8c65
- locked java.util.Collections$UnmodifiableSet@1446416
- locked sun.nio.ch.WindowsSelectorImpl@104457c
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)

```

at java.lang.Thread.run(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

RequestHandlerThread[#953]

```
"RequestHandlerThread[#953]" Id=11602 Group=main RUNNABLE (in native)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
  at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
  - locked sun.nio.ch.Util$2@f9c298
  - locked java.util.Collections$UnmodifiableSet@f2da58
  - locked sun.nio.ch.WindowsSelectorImpl@172cb60
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
  at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:382)
  at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@a1b4e8
```

RequestHandlerThread[#955]

```
"RequestHandlerThread[#955]" Id=11837 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1a910c6
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1a910c6
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.reservedWait(ReservedThreadExec
utor.java:308)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java:373)
  at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

at java.lang.Thread.run(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

RequestHandlerThread[#957]

```
"RequestHandlerThread[#957]" Id=11883 Group=main RUNNABLE (in native)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
  at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
  - locked sun.nio.ch.Util$2@1ac6e29
  - locked java.util.Collections$UnmodifiableSet@cd71e1
  - locked sun.nio.ch.WindowsSelectorImpl@1557017
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
  at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
  at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
  at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@4333da
```

RequestHandlerThread[#959]

```
"RequestHandlerThread[#959]" Id=11921 Group=main RUNNABLE (in native)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
  at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
  at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
  - locked sun.nio.ch.Util$2@1877da
  - locked java.util.Collections$UnmodifiableSet@dc6077
  - locked sun.nio.ch.WindowsSelectorImpl@add87b
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at sun.nio.ch.SelectorImpl.select(Unknown Source)
  at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
  at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
  at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
```



```

at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
Jenkins ENABLE AUTO REFRESH
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@2e472b

RequestHandlerThread[#961]

```

"RequestHandlerThread[#961]" Id=11923 Group=main RUNNABLE (in native)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
- locked sun.nio.ch.Util$2@be9b5d
- locked java.util.Collections$UnmodifiableSet@811512
- locked sun.nio.ch.WindowsSelectorImpl@1839166
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at sun.nio.ch.SelectorImpl.select(Unknown Source)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.select(ManagedSelector.java:375)
at org.eclipse.jetty.io.ManagedSelector$SelectorProducer.produce(ManagedSelector.java:304)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.doProduce(EatWhatYouKill.java:179)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.produce(EatWhatYouKill.java:140)
at org.eclipse.jetty.util.thread.strategy.EatWhatYouKill.run(EatWhatYouKill.java:131)
at
org.eclipse.jetty.util.thread.ReservedThreadExecutor$ReservedThread.run(ReservedThreadExecutor.java
:382)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@123d08c

RequestHandlerThread[#962]

```

"RequestHandlerThread[#962]" Id=11924 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@797e62
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@797e62
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown Source)
at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)

```

```
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

RequestHandlerThread[#963]

```
"RequestHandlerThread[#963]" Id=11925 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@797e62
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@797e62
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
  at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown Source)
  at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

Running CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]

```
"Running CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659 Group=main WAITING on
java.util.concurrent.locks.ReentrantReadWriteLock$NonfairSync@d542a9
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.ReentrantReadWriteLock$NonfairSync@d542a9
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unknown
Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
  at java.util.concurrent.locks.ReentrantReadWriteLock$WriteLock.lock(Unknown Source)
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$TimingFlowNodeStorage.flush(CpsFlowExecution.java:1797)
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.onProgramEnd(CpsFlowExecution.java:1251)
  - locked org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
  at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup.run(CpsThreadGroup.java:355)
  at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup.access$200(CpsThreadGroup.java:83)
  at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup$2.call(CpsThreadGroup.java:244)
  at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup$2.call(CpsThreadGroup.java:232)
  at
org.jenkinsci.plugins.workflow.cps.CpsVmExecutorService$2.call(CpsVmExecutorService.java:64)
  at java.util.concurrent.FutureTask.run(Unknown Source)
  at hudson.remoting.SingleLaneExecutorService$1.run(SingleLaneExecutorService.java:131)
  at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
  at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
  at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
  at java.util.concurrent.FutureTask.run(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

at java.lang.Thread.run(Unknown Source)

Jenkins

[ENABLE AUTO REFRESH](#)

Running CpsFlowExecution[Owner[EW.SolutionUI/14:EW.SolutionUI #14]]

```
"Running CpsFlowExecution[Owner[EW.SolutionUI/14:EW.SolutionUI #14]]" Id=9806 Group=main WAITING on
java.util.concurrent.locks.ReentrantReadWriteLock$NonfairSync@1c72eb1
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.ReentrantReadWriteLock$NonfairSync@1c72eb1
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unknown
Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
  at java.util.concurrent.locks.ReentrantReadWriteLock$WriteLock.lock(Unknown Source)
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$TimingFlowNodeStorage.flush(CpsFlowExecution.ja
va:1797)
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.onProgramEnd(CpsFlowExecution.java:1251)
  - locked org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@f2c9b
  at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup.run(CpsThreadGroup.java:355)
  at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup.access$200(CpsThreadGroup.java:83)
  at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup$2.call(CpsThreadGroup.java:244)
  at org.jenkinsci.plugins.workflow.cps.CpsThreadGroup$2.call(CpsThreadGroup.java:232)
  at
org.jenkinsci.plugins.workflow.cps.CpsVmExecutorService$2.call(CpsVmExecutorService.java:64)
  at java.util.concurrent.FutureTask.run(Unknown Source)
  at hudson.remoting.SingleLaneExecutorService$1.run(SingleLaneExecutorService.java:131)
  at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
  at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
  at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
  at java.util.concurrent.FutureTask.run(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@d7095

Scheduler-15646666

```
"Scheduler-15646666" Id=68 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1034859
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1034859
  at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Scheduler-16126060

"Scheduler-16126060" Id=8 Group=main TIMED_WAITING on

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@17bd9d3
```

```
at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@17bd9d3
```

```
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
```

```
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
```

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
```

```
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
```

```
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
```

```
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

```
at java.lang.Thread.run(Unknown Source)
```

Scheduler-29200967

"Scheduler-29200967" Id=23 Group=main TIMED_WAITING on

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@11f9e59
```

```
at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@11f9e59
```

```
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
```

```
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
```

Source)

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
```

```
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
```

```
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
```

```
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
```

```
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
```

```
at java.lang.Thread.run(Unknown Source)
```

SocketListener(JABBA35.local.)

"SocketListener(JABBA35.local.)" Id=101 Group=main RUNNABLE (in native)

```
at java.net.TwoStacksPlainDatagramSocketImpl.receive0(Native Method)
```

```
- locked java.net.TwoStacksPlainDatagramSocketImpl@1eb417a
```

```
at java.net.TwoStacksPlainDatagramSocketImpl.receive(Unknown Source)
```

```
- locked java.net.TwoStacksPlainDatagramSocketImpl@1eb417a
```

```
at java.net.DatagramSocket.receive(Unknown Source)
```

```
- locked java.net.DatagramPacket@c8e5fb
```

```
- locked java.net.MulticastSocket@36d60f
```

```
at javax.jmdns.impl.SocketListener.run(SocketListener.java:41)
```

Thread-3

"Thread-3" Id=95 Group=main WAITING on Jenkins [ENABLE AUTO REFRESH](#)

```
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@181e5ed
at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Unknown
Source)
at java.util.concurrent.LinkedBlockingQueue.poll(Unknown Source)
at
org.jenkinsci.plugins.pubsub.listeners.SyncQueueListener$1.run(SyncQueueListener.java:93)
```

Thread-6

```
"Thread-6" Id=96 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1a1a4b0
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1a1a4b0
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
at java.util.concurrent.LinkedBlockingQueue.take(Unknown Source)
at
org.jenkinsci.plugins.ssegateway.SubscriptionConfigQueue$1.run(SubscriptionConfigQueue.java:78)
```

Timeout.interruptions [#1]

```
"Timeout.interruptions [#1]" Id=125 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@14eb229
at sun.misc.Unsafe.park(Native Method)
-   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@14eb229
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Timer-0

```
"Timer-0" Id=94 Group=main TIMED_WAITING on java.util.TaskQueue@1bd2628
at java.lang.Object.wait(Native Method)
-   waiting on java.util.TaskQueue@1bd2628
at java.util.TimerThread.mainLoop(Unknown Source)
at java.util.TimerThread.run(Unknown Source)
```

Windows IOHub Watcher for IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#3]

Jenkins

[ENABLE AUTO REFRESH](#)

```

Id=133 Group=main TIMED_WAITING on java.lang.Object@e6acc
  at java.lang.Object.wait(Native Method)
  -   waiting on java.lang.Object@e6acc
  at org.jenkinsci.remoting.protocol.IOHub$IOHubSelectorWatcher.run(IOHub.java:543)
  at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:28)
  at
jenkins.security.ImpersonatingExecutorService$1.run(ImpersonatingExecutorService.java:59)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1e1ba0f

WorkflowRun.copyLogs [#1]

```

"WorkflowRun.copyLogs [#1]" Id=120 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1b54c8
  at sun.misc.Unsafe.park(Native Method)
  -   waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1b54c8
  at java.util.concurrent.locks.LockSupport.park(Unknown Source)
  at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
  at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
  at java.lang.Thread.run(Unknown Source)

```

WorkflowRun.copyLogs [#2] (EW.FullAuto #3)

```

"WorkflowRun.copyLogs [#2] (EW.FullAuto #3)" Id=121 Group=main BLOCKED on
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3 owned by "Running
CpsFlowExecution[Owner[EW.FullAuto/3:EW.FullAuto #3]]" Id=1659
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$Timing.close(CpsFlowExecution.java:424)
  -   blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@cbeda3
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$TimingFlowNodeStorage.getNode(CpsFlowExecution.
java:1770)
  at org.jenkinsci.plugins.workflow.cps.CpsFlowExecution.getNode(CpsFlowExecution.java:1168)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun.copyLogs(WorkflowRun.java:557)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun.access$500(WorkflowRun.java:144)
  at org.jenkinsci.plugins.workflow.job.WorkflowRun$3.run(WorkflowRun.java:410)
  -   locked java.lang.Object@10a198d
  at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)

```

```
at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(Unknown
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

```
- java.util.concurrent.ThreadPoolExecutor$Worker@1e7ba1b
```

WorkflowRun.copyLogs [#3]

```
"WorkflowRun.copyLogs [#3]" Id=122 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1b54c8
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1b54c8
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

WorkflowRun.copyLogs [#4]

```
"WorkflowRun.copyLogs [#4]" Id=123 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1b54c8
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@1b54c8
at java.util.concurrent.locks.LockSupport.park(Unknown Source)
at java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

WorkflowRun.copyLogs [#5] (EW.SolutionUI #14)

```
"WorkflowRun.copyLogs [#5] (EW.SolutionUI #14)" Id=124 Group=main BLOCKED on
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@f2c9b owned by "Running
CpsFlowExecution[Owner[EW.SolutionUI/14:EW.SolutionUI #14]]" Id=9806
  at
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$Timing.close(CpsFlowExecution.java:424)
  - blocked on org.jenkinsci.plugins.workflow.cps.CpsFlowExecution@f2c9b
  at
```

```
org.jenkinsci.plugins.workflow.cps.CpsFlowExecution$TimingFlowNodeStorage.getNode(CpsFlowExecution.
java:1770)
```

Jenkins

[ENABLE AUTO REFRESH](#)

```
at org.jenkinsci.plugins.workflow.job.WorkflowRun.access$500(WorkflowRun.java:144)
at org.jenkinsci.plugins.workflow.job.WorkflowRun$3.run(WorkflowRun.java:410)
- locked java.lang.Object@1707ba3
at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(Unknown
Source)
at java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Number of locked synchronizers = 1

```
- java.util.concurrent.ThreadPoolExecutor$Worker@2910b5
```

Attach Listener

```
"Attach Listener" Id=4 Group=system RUNNABLE
```

AWT-Windows

```
"AWT-Windows" Id=4297 Group=system RUNNABLE (in native)
at sun.awt.windows.WToolkit.eventLoop(Native Method)
at sun.awt.windows.WToolkit.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@8d6ab3
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.ReferenceQueue$Lock@8d6ab3
at java.lang.ref.ReferenceQueue.remove(Unknown Source)
at java.lang.ref.ReferenceQueue.remove(Unknown Source)
at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Java2D Disposer

```
"Java2D Disposer" Id=9 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@e37286
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.ReferenceQueue$Lock@e37286
at java.lang.ref.ReferenceQueue.remove(Unknown Source)
at java.lang.ref.ReferenceQueue.remove(Unknown Source)
at sun.java2d.Disposer.run(Unknown Source)
at java.lang.Thread.run(Unknown Source)
```

Reference Handler

"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference\$Lock@450c9a
at java.lang.Object.wait(Native Method)

Jenkins

[ENABLE AUTO REFRESH](#)

at java.lang.ref.Reference\$ReferenceHandler.run(Unknown Source)
at java.lang.ref.Reference\$ReferenceHandler.run(Unknown Source)